

Model(HAU-BW/CW)		150	180	240	300	400
-		EXPA	EXPA	EXPA	EXPA	EXPA
				240	300	400
				EXPA	EXPA	EXPA
Cooling capacity	USRT	150	180	240	300	400
	kW	527	633	844	1,055	1,407

Model(HAU-BW/CW)		450	500	560	600	700	800	900	1000
-		EXPA	EXPA	EXPA	EXPA	EXPA	EXPA	EXWPA	EXWPA
		450	500	560	600	700	800	900	1000
		EXPA	EXPA	EXPA	EXPA	EXPA	EXPA	EXWPA	EXWPA
Cooling capacity	USRT	450	500	560	600	700	800	900	1,000
	kW	1,582	1,758	1,969	2,110	2,461	2,813	3,165	3,516

Model(HAU-BW/CW)		150	210	240	300	400
-		EXP	EXP	EXP	EXP	EXP
					300	400
					EXSP	EXSP
Cooling capacity	USRT	150	210	240	300	400
	kW	527	738	844	1,055	1,407

Model(HAU-BW/CW)		450	500	560	600	700	800	900	1000
-		EXP	EXP	EXP	EXP	EXP	EXP	EXWP	EXWP
		450	500	560	600	700	800	900	1000
		EXSP	EXSP	EXSP	EXSP	EXSP	EXSP	EXSWP	EXSWP
Cooling capacity	USRT	450	500	560	600	700	800	900	1000
	kW	1,582	1,758	1,969	2,110	2,461	2,813	3,165	3,516