

型式(HAU-BW/CW)		150	180	240	300	400
-		EXPA	EXPA	EXPA	EXPA	EXPA
					300	400
					EXSPA	EXSPA
冷房能力	USRT	150	180	240	300	400
	kW	527	633	844	1,055	1,407

■ 冷水15～7℃/冷却水32～37℃/蒸気圧0.78MPa(G) [冷水大温度差仕様]
 (蒸気消費率 EXPA:3.5~3.53kg/h、EXSPA:3.83kg/h)

型式(HAU-BW/CW)		450	500	560	600	700	800	900	1000
-		EXPA	EXPA	EXPA	EXPA	EXPA	EXPA	EXWPA	EXWPA
		450	500	560	600	700	800	900	1000
		EXPA	EXPA	EXPA	EXPA	EXPA	EXPA	EXWSPA	EXWSPA
冷房能力	USRT	450	500	560	600	700	800	900	1,000
	kW	1,582	1,758	1,969	2,110	2,461	2,813	3,165	3,516

型式(HAU-BW/CW)		150	210	240	300	400
-		EXP	EXP	EXP	EXP	EXP
					300	400
					EXSP	EXSP
冷房能力	USRT	150	210	240	300	400
	kW	527	738	844	1,055	1,407

■ 冷水12～7℃/冷却水32～37℃/蒸気圧0.78MPa(G) [冷水大温度差仕様]
(蒸気消費率 EXP:3.6～3.63kg/h、EXSP:3.93kg/h)

型式(HAU-BW/CW)		450	500	560	600	700	800	900	1000
-		EXP	EXP	EXP	EXP	EXP	EXP	EXWP	EXWP
		450	500	560	600	700	800	900	1000
		EXSP	EXSP	EXSP	EXSP	EXSP	EXSP	EXWSP	EXWSP
冷房能力	USRT	450	500	560	600	700	800	900	1,000
	kW	1,582	1,758	1,969	2,110	2,461	2,813	3,165	3,516